

# Jeanne's Family's Story: Always by her Side

## ON-SCREEN TEXT

The following is a testimonial about a patient receiving RYBREVANT® (amivantamab-vmjw) at the time of filming. RYBREVANT® is a prescription medicine used to treat adults with non–small cell lung cancer (NSCLC) that has spread to other parts of the body (metastatic) or cannot be removed by surgery, and has certain abnormal epidermal growth factor receptor (EGFR) gene(s). Individual results may vary. Please talk with your doctor if you have any questions or to see if RYBREVANT® is right for you.

### **Important Safety Information**

RYBREVANT® can cause serious side effects such as infusion-related reactions and lung, blood clot, skin, liver and eye problems. Please see additional Important Safety Information at the end of this video and full Prescribing Information available on this website.

## ON-SCREEN TEXT AND MUSIC

### A RYBREVANT® Patient Story

#### Jeanne

My name is Jeanne and I am from Minnesota. Met my husband there and have two wonderful children.

## ON-SCREEN TEXT AND MUSIC

Jeanne is a real patient and a volunteer with the SHARE Network, a Johnson & Johnson program made up of people who are dedicated to inspiring others through their personal health journeys and stories of caring. Every patient's experience is unique, and Jeanne's journey is not representative of all patients. Jeanne has been compensated for her time.

## ON-SCREEN TEXT

### Stephanie

#### Jeanne's Daughter

#### Stephanie

My name is Steph. My mom is a great travel buddy. She always is up for any trip, and the best part is she'll probably plan it all and I just get to show up and help navigate.

A few years ago, we went on a really great trip where we hit up two different amusement parks in the same trip, and it was on the weekdays, and we rode the same roller coasters about five times in a row.

## ON-SCREEN TEXT

### Don

## Jeanne's Husband

Don

I'm Don. Jeanne and I were both in Explorers, which is a arm of Boy Scouts, and we were going to the national conference. So we were in Washington, DC and hit it off well together, and two weeks later, she asked me to go to the prom with her.

Stephanie

She's really caring. Always looking out for others. If something's wrong, she's always the first one I call.

## ON-SCREEN TEXT AND MUSIC

### Jeanne's Diagnosis

Don

We just finished a 33-day cruise. The second day we were home, she was in bed. She never sits still. We thought she had pneumonia. We ended up going to the hospital and was diagnosed that she has cancer. The doctor told us, they'll try to make her comfortable.

Christmas Eve we have a family get-together, and it was hard talking to other people telling them, well, this might be the last Christmas. The good news was that the doctor had made a comment that he would test for biomarkers and maybe there might be an option.

Jeanne

I've been on the RYBREVANT/LAZCLUZE treatment getting biweekly infusion of RYBREVANT.

## ON-SCREEN TEXT AND MUSIC

### RYBREVANT *FASPRO*<sup>™</sup>

This refers to how long the injection takes. Actual clinic time may vary. Your care team will also give you additional medications and take time to make sure you're doing well before you leave your visit.

Jeanne

My doctor told me that RYBREVANT *FASPRO* injection, a subcutaneous form, which takes five-to-seven minutes, which will reduce the time that I'm in the oncology infusion room by hours. I told him, put me at the top of the list, I am ready to go.

## ON-SCREEN TEXT AND MUSIC

### Jeanne's Treatment Journey

This is Jeanne's personal experience.

Stephanie

Now that my mom is doing better on these drugs, it's like she's who she was last year. I think back to an art fair we went to this summer, and she was carrying the oxygen in a backpack. But to go from that to kind of how it was before, and she's breathing regular air like the rest of us and doesn't have a tube around her face.

Don

Being able to tell people, friends and stuff, the good news, the not being on oxygen, being able to walk to the car, those are all things that have been tremendous.

Stephanie

I remember asking her are we at the I call you every day point? And she said, no, not yet. And I think at one point she said, okay, I don't think you have to call me every day anymore. I think, I think we're doing better.

## ON-SCREEN TEXT AND MUSIC

### Support From Family and Friends

Jeanne

One of the things that really touched me the most is that I have to use electrolyte freeze pops to help keep my electrolytes up. Don found some that work the best, and he will put the freeze pops into the freezer and then bring me a couple of them already open ready to consume without my ever asking.

Stephanie

I go over there to their house every week. It's more spending intentional time together. You know, playing games and making sure we're talking about stuff.

Don

We have a circle of about eight friends that we get together on a regular basis. We share everything with them, and they've been more than supportive.

## ON-SCREEN TEXT AND MUSIC

### Our Takeaways

Stephanie

My advice would be make sure that your parent has a doctor that they trust and that they have a great relationship with because my mom has not done anything but praise her doctor.

Don

One of the things that really impressed me the first time we met with her oncologist was the fact that he didn't come in rushed and then rush and head back out. He came in, sat there and talked with us, and it was like he had no place else to be.

Stephanie

I also would say don't be afraid of new treatments and new developments. Technology is advancing so quickly, you know, that there's always something to look forward to. Being informed, being present and active in that situation and just

making sure you're talking about it and looking at all of the options and keeping a positive attitude.

Don

Well, I think one of the main things when I was supporting Jeanne, it was I'm not going to do everything for you. I'm going to leave some things undone so that you have an opportunity to do them so you don't feel as though you're completely helpless. Her saying so many times, thanks for supporting me. And I'm thinking, that's what I signed up for.

Stephanie

Now that she's doing well, I feel great. It's amazing. Over the course of a year to have such an up and down and a roller coaster, but not a good one. We like the other ones much better than that.

Don

To go from the standpoint of we're never going to go on another trip, we're not going to do all the stuff that we planned to do, to all of a sudden being able to say okay, let's plan where we're going to go.

Jeanne

I am very hopeful for my future now. Instead of looking months ahead, I am going to be looking years ahead.

## ON-SCREEN TEXT AND MUSIC

Logos for RYBREVANT *FASPRO*<sup>™</sup> (amivantamab and hyaluronidase-lpuj)

RYBREVANT *FASPRO*<sup>™</sup> Prescribing Information, Horsham, PA: Janssen Biotech, Inc.  
RYBREVANT<sup>®</sup> Prescribing Information, Horsham, PA: Janssen Biotech, Inc.

## ON-SCREEN TEXT AND NARRATOR

### **What are RYBREVANT *FASPRO* (amivantamab and hyaluronidase-lpuj) and RYBREVANT (amivantamab-vmjw)?**

RYBREVANT *FASPRO* and RYBREVANT are prescription medicines used to treat adults with non–small cell lung cancer (NSCLC) that has spread to other parts of the body (metastatic) or cannot be removed by surgery, and has certain abnormal epidermal growth factor receptor (EGFR) gene(s):

- in combination with LAZCLUZE (lazertinib), a prescription medicine, as a first-line treatment for NSCLC
- in combination with carboplatin and pemetrexed for NSCLC in people whose disease has worsened on or after treatment with an EGFR tyrosine kinase inhibitor (TKI)
- in combination with carboplatin and pemetrexed as a first-line treatment for NSCLC
- alone for the treatment of NSCLC in people whose disease has worsened on or after platinum-based chemotherapy.

Your healthcare provider will perform a test to make sure that RYBREVANT *FASPRO* or RYBREVANT is right for you.

It is not known if RYBREVANT *FASPRO*, RYBREVANT, or LAZCLUZE are safe and effective in children.

## **IMPORTANT SAFETY INFORMATION**

**Do not take RYBREVANT *FASPRO* if you are allergic to hyaluronidase or any of the ingredients in RYBREVANT *FASPRO*.**

**Before you receive RYBREVANT *FASPRO*, RYBREVANT or LAZCLUZE, tell your healthcare provider (HCP) about all of your medical conditions, including if you:**

- have a history of lung or breathing problems, other than cancer.
- are pregnant or plan to become pregnant. RYBREVANT *FASPRO*, RYBREVANT and LAZCLUZE can harm your unborn baby.

### **Females who are able to become pregnant:**

- Your HCP should do a pregnancy test before you start treatment with RYBREVANT *FASPRO*, RYBREVANT, or LAZCLUZE.
- If you are taking RYBREVANT *FASPRO* or RYBREVANT, use effective birth control (contraception) during treatment and for 3 months after your last dose. If you are taking LAZCLUZE, use effective birth control (contraception) during treatment and for 3 weeks after your last dose.
- Tell your HCP right away if you become pregnant or think you might be pregnant during treatment with RYBREVANT *FASPRO*, RYBREVANT, or LAZCLUZE.

### **Males who have female partners who are able to become pregnant:**

- You should use effective birth control during treatment and for 3 weeks after your last dose of LAZCLUZE.
- are breastfeeding or plan to breastfeed. It is not known if RYBREVANT *FASPRO*, RYBREVANT, or LAZCLUZE pass into your breast milk. Do not breastfeed during treatment and for 3 months after your last dose of RYBREVANT *FASPRO* or RYBREVANT. Do not breastfeed during treatment and for 3 weeks after your last dose of LAZCLUZE.

**Tell your HCP about all the medicines you take**, including prescription and over-the-counter medicines, vitamins, and herbal supplements. LAZCLUZE may affect the way other medicines work, and other medicines may affect how LAZCLUZE works. You should not start or stop any medicine before you talk with your HCP that prescribed LAZCLUZE.

### **What should I avoid while receiving RYBREVANT *FASPRO*, RYBREVANT, and/or LAZCLUZE?**

RYBREVANT *FASPRO*, RYBREVANT, and LAZCLUZE can cause skin reactions. You should limit your time in the sun during and for 2 months after your treatment. Wear protective clothing and use broad-spectrum sunscreen during treatment.

### **What are the possible side effects of RYBREVANT *FASPRO*, RYBREVANT, or LAZCLUZE?**

**RYBREVANT *FASPRO*, RYBREVANT, and/or LAZCLUZE may cause serious side effects, including:**

- **allergic and injection-related reactions.** Allergic and injection-related reactions are common with RYBREVANT *FASPRO* and can be severe or serious. Tell your HCP right away if you get any of the following symptoms during or after your injection: shortness of breath, fever, chills, flushing, chest discomfort, dizziness or lightheadedness, or vomiting.
- **infusion-related reactions.** Infusion-related reactions are common with RYBREVANT but can be severe or serious and can include life-threatening (anaphylaxis) allergic reaction. Tell your HCP right away if you get any of the following symptoms during your infusion of RYBREVANT: shortness of breath, difficulty breathing, or wheezing, chest discomfort, swelling of your eyes, lips, or tongue, fever, chills, numbness of your tongue, lips, cheeks, or gums, flushing, skin rash, hives, or itching, nausea or vomiting, stomach cramps, lightheadedness, dizziness, or fainting, or headache.
- **lung problems.** RYBREVANT *FASPRO*, RYBREVANT, or LAZCLUZE can cause lung problems that can lead to death. Symptoms may be similar to those symptoms from lung cancer. Tell your HCP right away if you get any new or worsening lung symptoms, including shortness of breath, cough, or fever.
- **blood clot problems.** RYBREVANT *FASPRO* or RYBREVANT, when given in combination with LAZCLUZE, can cause blood clots in the veins of your legs (deep vein thrombosis) or lungs (pulmonary embolism) that can lead to death. Your HCP may start you on medicine to prevent blood clots for the first 4 months of treatment. Tell your HCP right away if you get any signs and symptoms of blood clots, including swelling, pain or tenderness in the leg, sudden unexplained chest pain, or shortness of breath.
- **skin problems.** RYBREVANT *FASPRO*, RYBREVANT, or LAZCLUZE can cause severe rash, including blisters, peeling, skin pain and sores, redness, raised acne-like bumps, itching, and dry skin. Your HCP may start you on an antibiotic for the first 3 months of treatment followed by an antibiotic lotion for your scalp for the next 9 months. During treatment, you should apply a non-comedogenic (does not clog pores) skin moisturizer (ceramide-based or other types of moisturizers that provide long lasting skin hydration and does not include drying ingredients) on your face and whole body (except scalp) and wash your hands and feet every day with 4% chlorhexidine solution. Tell your HCP right away if you get any skin reactions. Your HCP may treat you with a medicine(s) or send you to see a skin specialist (dermatologist) if you get skin reactions during treatment.
- **liver problems.** LAZCLUZE may cause severe liver problems, including increased liver function tests. Your HCP will do blood tests to check your liver before you start and during treatment. Tell your HCP right away if you get any symptoms of liver problems, including pain on the right side of your stomach area (abdomen), dark or brown (tea colored) urine, or yellowing of your skin or the white part of your eyes.
- **eye problems.** RYBREVANT *FASPRO*, RYBREVANT, and LAZCLUZE can cause eye problems. Tell your HCP right away if you get symptoms of eye problems

including eye pain, inflammation of eyelids, dry eyes, eye redness, blurred vision, changes in vision, itchy eyes, excessive tearing, and sensitivity to light. Your HCP may send you to see an eye specialist (ophthalmologist) if you get new or worsening eye problems during treatment. You should not use contact lenses until your eye symptoms are checked by an HCP.

**The most common side effects of RYBREVANT *FASPRO* in combination with LAZCLUZE include:** rash, infected skin around the nail, muscle and joint pain, feeling very tired, sores in the mouth, swelling of hands, ankles, feet, face, or all of your body, nausea, diarrhea, vomiting, constipation, decreased appetite, headache, and changes in certain blood tests.

**The most common side effects seen with intravenous (IV) RYBREVANT, which may be experienced with RYBREVANT *FASPRO*, are listed below:**

- **RYBREVANT in combination with LAZCLUZE:** rash, infected skin around the nail, infusion-related reaction, muscle and joint pain, sores in the mouth, swelling of hands, ankles, feet, face, or all of your body, unusual feeling in the skin (such as tingling or a crawling feeling), feeling very tired, diarrhea, constipation, COVID-19, bleeding, dry skin, decreased appetite, itchy skin, nausea, and changes in certain blood tests.
- **RYBREVANT in combination with carboplatin and pemetrexed:** rash, infected skin around the nail, infusion-related reaction, feeling very tired, nausea, sores in the mouth, constipation, swelling of hands, ankles, feet, face, or all of your body, decreased appetite, muscle and joint pain, vomiting, COVID-19, and changes in certain blood tests.
- **RYBREVANT given alone:** rash, infusion-related reaction, infected skin around the nail, muscle and joint pain, shortness of breath, nausea, swelling of hands, ankles, feet, face, or all of your body, cough, feeling very tired, sores in the mouth, constipation, vomiting, and changes in certain blood tests.

LAZCLUZE may cause fertility problems in males and females, which may affect your ability to have children. Talk to your HCP if this is a concern for you.

Your HCP may temporarily stop, decrease your dose, or completely stop your treatment with RYBREVANT *FASPRO*, RYBREVANT, or LAZCLUZE if you have serious side effects.

These are not all of the possible side effects of RYBREVANT *FASPRO*, RYBREVANT, or LAZCLUZE.

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

**General information about the safe and effective use of RYBREVANT *FASPRO*, RYBREVANT, or LAZCLUZE:**

Medicines are sometimes prescribed for purposes other than those listed in a Patient Information leaflet. Do not use LAZCLUZE for a condition for which it was not prescribed. Do not give LAZCLUZE to other people, even if they have the same symptoms that you have. It may harm them.

**Please read full Prescribing Information for [RYBREVANT FASPRO](#), [RYBREVANT](#), and [LAZCLUZE](#) available on this platform or at this presentation.**

cp-493867v3

© Johnson & Johnson and its affiliates 2026 05/26 cp-570728v2